FAIRLINE PHANTOM 48 BETELGEUSE

# JYACHTS.

JD Yachts 80 The Esplanade Weymouth Dorset United Kingdom DT4 7AA Tel: +44 (0)1305 766 504 sales@jdyachts.com



# **FAIRLINE PHANTOM 48**

# BETELGEUSE

GBP 439,950 INC TAX

# MAIN CHARACTERISTICS

Year:	2009
Hull Colours:	White
Lying:	Torquay, UK
Engine(s):	2 x 575 HP Diesel Volvo Penta D9-575 EVC
Hours:	310
Length:	15.25 m / 50' 0"
Beam:	4.460 m / 14' 8"
Draft:	1.120 m / 3' 8"
Weight:	17 tons
Fuel Capacity:	1664 litres / 366 gallons
Water Capacity:	500 litres / 110 gallons
Accommodation:	6 berths in 3 cabins

# **EXTRAS**

- Air Conditioning Throughout
- Blue Mood Lights to Cockpit
- Dockmate 'Twist' Proportional System (New 2021)
- Flybridge Bimini
- Flybridge Wetbar with Grill, Sink & Fridge
- Hydraulic Passarelle
- JVC Sound System
- Mastervolt Inverter
- Onan Generator 7Kva
- Raymarine AIS 700 (New 2021)
- Raymarine Axiom Pro 12 Multifunction 12" Display to Both Helms (New 2021)
- Raymarine DST810 0 Degree Depth, Speed, Temperature Transduced (New 2021)
- Raymarine Evolution Authpilot (New 2021)
- Raymarine i70 Multifunction Colour Displays to Both Helms (New 2021)
- Raymarine Quantum 18" Radar (New 2021)
- Satellite TV
- Sharp Combi Microwave
- SidePower Propotional Bow Thruster 120kg (New 2021)
- SidePower Propotional Stern Thruster 100kg (New 2021)
- Silent Electric Flush toilets
- Solid Oak Flooring in Saloon
- Teak Laid Bathing Platform
- Teak Laid Cockpit
- Teak Laid Flybridge
- Upgraded Domestic 88L Cool Box & Freezer (New 2021)
- Washer/ Dryer

# STANDARD SPECIFICATION

# HULLFORM AND CONSTRUCTION

All gel coat and glass fibre hand laid with unidirectional, biaxial and woven rovings Deep 'V' forward; 18° deadrise aft Design, layout and detailing by the Fairline Design Team. Naval architecture and structural engineering by Bernard Olesinski Full length moulded spray deflectors Hull/deck join bolted and bonded Integrally moulded engine bearers Isophthalic gel coat backed by isophthalic resin-rich powder-bound glass mat The deck incorporates polyurethane foam cores for high strength and excellent thermal insulation The integral bathing platform gives the boat a longer waterline length for improved performance, particularly at reduced power settings The propellers are set in semi-tunnels enabling the engines to be located further aft, also reducing draught and improving efficiency by reducing the shaft angle Transverse and longitudinal strengthening stringers throughout hull

#### DECK

Anchor chain locker Anchor winch (electric) Anchor winch controls Calibrated anchor chain External covers to windscreen Full set of IMCO navigation lights Hot and cold water transom shower Moulded non-slip deck surface Recessed self-draining area on foredeck for coachroof sun cushions **Riding light** Rubbing strake Self-stowing through-hull Delta® anchor Stainless steel bow, spring and stern cleats Stainless steel bow fairlead(s) Stainless steel grab rail(s) on each transom wing Stainless steel handrails Stainless steel hull protection plate under bow Stainless steel pulpit Teak laid bathing platform Telescopic boarding ladder to bathing platform Toughened glass curved windscreen Transom gate from cockpit to integral bathing platform Twin horns Water filler(s) Windscreen washers Windscreen wipers

### FLYBRIDGE AND SECOND HELM POSITION

12v heavy duty weatherproof socket Access hatch Acrylic dodgers Adjustable/tilt steering wheel Adjustable bolstered helm seating Bilge pump warning lights and audible alarms Bowthruster controls Companion seating to helm **Drinks holders** Echosounder and speedometer/distance log repeater(s) with sea water temperature read out Electronic single-lever throttle and gear controls for port and starboard engines Flybridge bar with sink and refrigerator Helm position indicator High speed magnetic compass Instrument covers Moulded non-slip deck surface Powered steering Remote anchor winch controls Remote control searchlight with controls at both helm stations Repeat autopilot controls Repeat engine bay fire extinguisher controls Repeat flybridge engine instrumentation, controls and electronics Stainless steel handrails Teak laid oversize flybridge steps Trim tab controls Upholstered seating area with table, convertible to cushioned sunbathing area VHF radio telephone incorporating intercom Wind-deflecting screen with grab rail

#### AFT COCKPIT/TRANSOM

12v heavy duty weatherproof socket Access hatch to engine room Aft cockpit enclosure covers Bathing platform lights Cockpit lights Dedicated aft cabin access separate from cushioned rear seating Emergency fuel shut-off valves Engine bay access hatch with stainless steel pneumatic support struts Engine bay fire extinguisher control Manual bilge pump(s) Stainless steel framed sliding door to main saloon Teak laid floor throughout self-draining cockpit Warp lockers

#### MAIN HELM POSITION

12v socket Adjustable/tilt steering wheel Adjustable air vents Autopilot Bilge pump switches with integral operating warning lights and audible alarms Bolstered helm seat(s) Bowthruster controls Controls for engine bay fire extinguisher system Electronic single-lever throttle and gear controls for port and starboard engines Folding foot plinth Fuel gauges Full engine instrumentation including; tachometers, oil pressure gauges, temperature gauges, battery condition indicators, audible alarms and engine hour meters Helm position indicator High speed magnetic compass Mood lighting Opening side window (manual) Powered steering Red night-light illumination to helm Remote anchor winch controls Searchlight controls Switches for navigation and riding lights, windscreen wipers and engine bay extractor fans Trim tab controls

#### MAIN SALOON

Aerial and connections for television Cocktail table converts electrically to dining table Freestanding 2 seat sofa Full-height standing headroom Halogen ceiling lights Handrail Sideboard to port housing LCD TV, DVD/CD/Radio and optional refrigerator Sofa

#### GALLEY

Crockery stowage in sideboard Electric ceramic/halogen hob Extractor fan Foundations® work surface with covers Halogen ceiling lights Integrated waste bin Lacquered cupboard doors Microwave oven Refrigerator with integral icebox with automatic 24v/240v changeover Sink with hot and cold mixer tap Underfloor stowage hold or optional freezer Work surface lights

#### **MASTER STATEROOM**

Access to AC/DC distribution panel Access to en suite bathroom Drawers to starboard with optional LCD television Full-height standing headroom Full width master stateroom with triple portrait feature windows - port and starboard Halogen ceiling lights Mirror Oversized double bed Reading lights Twin bedside tables Upholstered bedhead Wardrobe(s)

#### MASTER EN SUITE BATHROOM

220v/240v shaving point Automatic shower tray pump-out system Electric silent-flush freshwater toilet Extractor fan Avonite® vanity unit locker and basin with hot and cold pressurised water Full set of bathroom fittings Full standing height shower with solid teak gratings and hinged door Halogen ceiling lights Lockers (overhead) Mirror Stainless steel opening porthole(s) with flyscreen

#### FORWARD STATEROOM

Access to en suite bathroom Bedside stowage Drawer(s) under bed with integrated linen box Halogen ceiling lights Large hatch(es) with flyscreen and concealed blinds to foredeck Lockers (overhead) Mirror Oversized double bed Reading lights Stainless steel opening porthole(s) with flyscreen Wardrobe(s)

#### STARBOARD GUEST CABIN

Bedside stowage Full length pullman berths to upper and lower bunks to provide maximum cabin flexibility Halogen ceiling lights Mirror Reading lights Stainless steel opening porthole(s) with flyscreen Wardrobe(s)

#### SHOWER/ HEAD COMPARTMENTS

220v/240v shaving point Automatic shower tray pump-out system Electric silent-flush freshwater toilet Extractor fan Foundations® or Avonite® vanity unit locker and basin with hot and cold pressurised water Full set of bathroom fittings Full standing height shower with solid teak gratings and hinged door Halogen ceiling lights Lockers (overhead) Mirror Stainless steel opening porthole(s) with flyscreen

#### **ELECTRICAL SYSTEMS**

All 240v, 24v and 12v circuits (where applicable) protected by circuit breakers with main electrical load control panel Battery isolating switches Heavy duty circuit breakers Isolating switches to all batteries Onan generator 7kVA 24 Volt: Batteries - 2 x 180Ah 'sealed for life' for domestic supply Batteries - 4 x 180Ah 'sealed for life' for engine starting 240 Volt: Polarity check and earth leakage protection system Regulated battery charger 100amp for all batteries Shore power supply

#### **ENGINES AND STERNGEAR**

Access through cockpit hatch Aerodynamically designed engine air intakes Automatic bilge pumps for forward bilge, engine bay and rudder bay with manual 'on' override Automatic engine bay fire extinguisher system

#### FAIRLINE PHANTOM 48 BETELGEUSE

Balanced rudders Cathodic protection Dripless shaft seals Electric engine bay fan(s) Electric trim tabs with cathodic protection Engine bay lights Engine room soundproofing Exhaust overheat warning system High capacity emergency manual bilge pump system with changeover valves High corrosion-resistant TEMET shafts Manganese bronze 'P' brackets Manganese bronze propellers contra-rotating Sea cocks on all inlets/outlets below waterline Water cooled through-hull engine silencers

#### **FUEL SYSTEM**

Changeover valve system to permit each engine to draw fuel from, and return fuel to, either tank Emergency fuel shut-off valves accessible via cable-operated remote control Fuel filler splash stop and anti-foaming device High capacity water separators and fuel filters Individual fillers and vents to port and starboard Marine grade alloy fuel tanks x 2

#### FRESHWATER SYSTEM

Automatic, pressurised supply Calorifier hot water system Water tank(s)

# **OWNER COMMENTS**

Antifouled and polished - January 2024 New anodes - January 2024 Engines Serviced - November 2023 Generator Serviced - November 2023





































05/14/2024






























05/14/2024















# DISCLAIMER

Whilst every care has been taken in the preparation of these particulars, their accuracy is not guaranteed. They are intended as guides only and as such do not constitute a part of any contract. A prospective purchaser is advised to check all particulars and where appropriate and at his own expense to employ a qualified marine surveyor to carry out a survey and/or to have an engine trial conducted, which if conducted by us shall not imply any liability on our part. All dimensions, performance figures & range notes given are approximate and should be treated as a guide only. Pictures may be from a brochure or of a similar vessel. Engine hours shown are correct at the time of preparation of the particulars, but will vary with usage. Availability of specific vessels may be subject to change, we therefore recommend you call for confirmation. N.B. Ribs, dinghies, water toys and out-board engines are not included in the sale unless other wise stated.

+44 (0) 1305 766 504 SALES@JDYACHTS.COM © JD YACHTS 2002 - 2024. ALL RIGHTS RESERVED.





