

05/11/2024

PRINCESS V48 CUNNING PLAN



JD Yachts  
80 The Esplanade  
Weymouth  
Dorset  
United Kingdom  
DT4 7AA  
Tel: +44 (0)1305 766 504  
sales@jdyachts.com



**PRINCESS V48**

**CUNNING PLAN**

GBP 599,950 INC TAX

MAIN CHARACTERISTICS

Year:	2017
Hull Colours:	Blue
Lying:	Portland, UK
Engine(s):	2 x 435 HP Diesel Volvo IPS 600
Hours:	252
Length:	15.58 m / 51' 1"
Beam:	4.110 m / 13' 6"
Draft:	1.140 m / 3' 9"
Weight:	16 tons
Fuel Capacity:	1325 litres / 291 gallons
Water Capacity:	364 litres / 80 gallons
Accommodation:	6 berths in 2 cabins

**EXTRAS**

- Seakeeper Gyro Stabiliser
- Onan 11Kw Generator
- Reverse Cycle Tropical Air Conditioning
- Side-Power Proportional Speed Control System
- Side Power Variable Speed Bow Thruster
- Electro-Hydraulic Hi-Lo Bathing Platform
- Rare 2 Cabin Version
- Raymarine e165 15.4" Hybrid Touch GPS Chartplotter/Radar Display
- Raymarine Depth Log
- Raymarine Autopilot
- Raymarine Digital Radar
- AIS
- Electric Roof to Cockpit
- Under Water Lights
- Fusion Sound System Throughout
- Flat Screen TV to Saloon, Master Cabin & Forward Cabin
- Cockpit Wetbar with Griddle
- Cockpit Icemaker
- Washer/ Dryer
- Full Size Fridge-Freezer
- Electric 2-Ring Hob
- Combi Microwave
- Teak Laid Side Decks
- Teak Laid Cockpit
- Teak Laid Bathing Platform
- Holding Tank

## **STANDARD SPECIFICATION**

### **POWER AND DRIVE SYSTEMS**

Twin Volvo IPS-600 (2 x 435mhp driving contra rotating propellers via pod drive)  
Power-assisted steering  
Electronic engine controls  
Joystick manoeuvring system  
Volvo active corrosion protection system  
Engine room extractor fans with electronic time delay  
Trim tabs with indicators  
Engine room lighting

### **ELECTRICAL SYSTEMS**

24 Volt:

4 x heavy-duty batteries for engine starting  
4 x heavy-duty auxiliary batteries  
Engine alternators charge via split charge relays to isolate engine start batteries from auxiliaries  
40-amp 24v float battery charger  
Battery paralleling system (for engine start back-up)  
Remote battery master switches with control switch at main panel  
Circuit breakers on all circuits

220/240 Volt:

Shore support inlet (32A)  
Power points in owner's stateroom, forward guest cabin, galley (double), lower and upper saloon  
Polarity check system  
Earth leakage safety trip  
Shaver points in both bathrooms

### **WATER SYSTEM**

Hot water calorifier  
Water heated by engine and 240v immersion heater  
Automatic water pump with filter  
Main circuit breaker at switch panel  
Water level gauge  
Deck filler

### **FUEL SYSTEM**

Twin fuel tanks (in NS8 marine grade alloy) with interconnection system giving 265 gallons/318 US gallons/1,200 litres capacity  
Fuel fillers on both side decks  
High-capacity fuel filter/water trap  
Remote fuel cocks in cockpit locker  
Fuel gauges on helm console

### **FORWARD GUEST CABIN**



Large double bed with drawers below (option of scissor berths)

Wardrobe

Deck hatch with integrated fly screen and blind

Storage lockers

Downlighters and individual berth lights

Trapezoidal side windows with opening ports

En-suite bathroom:

Wash basin with Monobloc mixer tap

Separate stall shower with extractor

Mirror

Storage locker

Opening portlight

### **OWNER'S STATEROOM**

Large double bed with drawers below

Wardrobe with shelves

Drawers and storage lockers

Overhead and individual berth lights

Sofa

Dressing table

Panoramic trapezoidal windows in toughened glass with opening ports

En-suite bathroom:

Avonite worktop

Wash basin with Monobloc mixer tap

Separate stall shower with extractor

Mirror

Storage locker

Opening portlight

### **UPPER SALOON**

U-shaped sofa

Dining table

Cocktail cabinet

Refrigerator

Overhead downlighters

Electric opening roof

Triple stainless-steel framed sliding doors to cockpit

Radio/CD/MP3 with saloon and cockpit speakers

Timber-laid flooring

### **LOWER SALOON**

L-shaped sofa

Table

Storage lockers

Overhead downlighters

Main electrical control panel with battery isolation switches  
Opening portlights (2)

## **GALLEY**

Avonite (or similar) worktop  
Ceramic hob  
Stainless-steel sink with Monobloc mixer tap  
Combination microwave/conventional oven with grill  
Refrigerator with freezer compartment  
Waste bin  
Storage cupboards, drawers and lockers  
Timber-laid flooring  
Under floor storage bin  
Opening portlights

## **COCKPIT**

Self-draining  
U-shaped seating/dining area  
Teak table  
Overhead and low level courtesy lights  
Tonneau cover  
Stainless-steel grabrails  
Transom hatch to stern lazarette  
Access hatch to engine room  
220/240v shore support inlet in locker  
Life raft locker  
Transom platform with integrated swimming ladder (with optional electro-hydraulic raise/lower mechanism)  
Twin transom doors  
Hot and cold shower  
Wet Bar with Electric Griddle  
Storage lockers

## **HELM POSITION**

Helm seat with sit/stand facility  
Full engine instrumentation  
Fuel gauges  
Single-lever engine controls  
Joystick maneuvering control  
Rudder position indicator  
Power-assisted steering system and adjustable steering wheel  
Remote control anchor winch  
Trim tab controls with indicators  
VHF with DSC R/T  
Speed and distance log  
Echo sounder with alarm

Remote control searchlight  
High speed compass  
Horn button  
Chart area  
Twin windscreen wipers  
Windscreen freshwater pressure wash  
Bilge pump controls with visual 'pump running' indicator (3)  
Electric side window

## **STANDARD EQUIPMENT**

Power-assisted steering system  
Volvo joystick manoeuvring control  
24v DC/240v AC electrical system  
240v shore power with 40-amp float battery charger  
Remote control electric anchor winch  
Electro-hydraulic trim tabs  
VHF with DSC R/T  
Speed and distance log  
Echo sounder with alarm  
Remote control searchlight  
Combination microwave/conventional oven/grill  
Refrigerator with deep freeze compartment  
Electric quietflush toilets  
Saloon and cockpit stereo CD/radio  
Teak-laid transom platform/cockpit deck/stairs to side decks

## **Deck Fittings**

Reversible electric anchor winch with foredeck and helm position controls  
Self-stowing 20kg/44lb Delta anchor with 40m chain  
Stemhead roller with automatic anchor launch and retrieve  
Stainless-steel bow, stern and spring cleats  
Stainless-steel pulpit and guard rails  
Stainless-steel coachroof handrails  
Foredeck hatch with integrated skylight  
PVC rubbing band with stainless-steel insert  
Full set of IMCO navigation lights  
Riding light  
Remote control searchlight  
Twin electric horns  
Fuel and water fillers  
Fire Extinguishers  
Automatic fire extinguisher in engine room and generator space  
Bilge Pumps  
Automatic electric bilge pumps with manual override (3 in all)  
High-capacity manual bilge pump with valve system and suction points in engine room and accommodation space



























































































## DISCLAIMER

Whilst every care has been taken in the preparation of these particulars, their accuracy is not guaranteed. They are intended as guides only and as such do not constitute a part of any contract. A prospective purchaser is advised to check all particulars and where appropriate and at his own expense to employ a qualified marine surveyor to carry out a survey and/or to have an engine trial conducted, which if conducted by us shall not imply any liability on our part. All dimensions, performance figures & range notes given are approximate and should be treated as a guide only. Pictures may be from a brochure or of a similar vessel. Engine hours shown are correct at the time of preparation of the particulars, but will vary with usage. Availability of specific vessels may be subject to change, we therefore recommend you call for confirmation. N.B. Ribs, dinghies, water toys and out-board engines are not included in the sale unless other wise stated.

+44 (0) 1305 766 504

SALES@JDYACHTS.COM

© JD YACHTS 2002 - 2024. ALL RIGHTS RESERVED.